

7 Plates Alkaline Water Ionizer

ENKION + Completely compatible FAUCET


EveryoNe can drinK alkaline IONized water







ENKION(Water ionizer) filters water and uses a high-tech scientific mechanism to pass the filtered water through the electrolytic cell, which is a critical device in the system to produce alkaline water and acidic water.

How to generate the Alkaline & Acidic ionized Water







Characteristic of Faucet

- Easy & completely compatible
- Simply operating by touch sensor
- Produces 9 levels of water (4 alkaline water, 4 acidic water, 1 purified water)
- 4) Convenient voice automated





For using the Faucet under counter, plug in electrical extension wire into faucet connection and plug in the other end in to the back of the ionizer.





Optional Function Touch Sensor

- 1 It works at Operation/Stand by MODE.
- ② It works when Alkaline water selection is done.
- 3 It works when Acidic water selection is done, and also Purifying water selection, too.

Certifications for FAUCET



FAUCET Specifications (for urdersink type)

Dimension : 43cm x 14.4cm x 6m

Materials - Body: SUS 304

Head: Die Casting(Chromium Plating)




pH step

Usage of alkaline ionized water description

4 step When you eliminate the bitter taste of vegetables 9.5~11.5 When removing stains from clothes When washing vegetables 3 step 9.0~9.5 When diluting alcohol When soaking meat Various cooking 2 step 8.5~9.0 When making coffee When cooking rice When decocting herbal medicine 1 step 8.0~8.5 Daily drinking water Recovering Rehydration after hangover exercise **Purify** Purify when taking a medicine

Usage of acidic ionized water description



Alkaline water Benefits

- Restores the body's pH balance
- Acts as a powerful antioxidant
- Improves cellular hydration
- Improves stomach and intestines disease
- Helps weight loss
- Helps detoxification
- Good for Bone Health
- Effective in preventing aging



Specifications

Dimension 19.0cm x 37.5cm x 25.0cm

Net weight / Gross weight 4.5kg / 6.0kg

Electricity AC 100V ~ 240V, 50Hz / 60Hz

Max. Water pressure 10kgf/cm*

Water temperature $5 \sim 35^{\circ}C$

pH Range 3.0 ~ 11.5

U.V.Lamp Optional

Case ABS

Filtration - Filter type Dual filter type

Filter lifetime 1st: 3,200L/2nd: 6,400L

Max. Water Flow 1 ~ 4LPM

Electrolysis - Chamber material 100% Platinum coated Titanium

Electrodes(Number of Plates) 7 Power consumption 200VA

Display - Type 7Color LCD Screen

pH values Alkaline: 4 stages / Acidic: 4 stages / Clean Water

Washing Automatic cleaning



Head Office Rm 316, Business Center (B.I.C) Bokjikwan, Baekseok University, 76 Munam-ro, Dongnam-gu,

Cheonan-si, Chungcheongnam-do, South Korea (ZIP CODE 31065)

tel: +82-41-558-9777 | fax: +82-2-6455-9770 | Skype ID appleking77 | e-mail: jinnys@ilovejinnys.com

Factory 2nd floor, B-dong, 5-Ra, Sihwa Industrial Complex, 185, Byeolmang-ro, Danwon-gu Ansan-si, Gyeonggi-do, South Korea (Do not post here.) | e-mail : crewetler@ilovejinnys.com