



PRIME WATER KOREA

FACTORY / OFFICE Address #901-301, 345, SEOKCHEON-RO, BUCHEON-SI, GYEONGGI-DO, KOREA (ZIP : 14501) Tel. +82-32-681-8950 Fax. +82-32-681-8951



About Prime Water Company

The new Prime Water models make the most powerful antioxidant alkaline water ever made by a home water ionizer.



We appreciate your interest in our company and our products.

My staff and I are dedicated constantly improving our Ionizers by introducing new technologies and conducting cutting edge, in-depth research on the benefits of drinking alkaline water.

We were excited this year to introduce our new 2019 models that incorporated the latest in Prime Water Ionizer technologies such as Max Plates and Max Power - the heart of the most powerful home water ionization systems ever built.

This was the introduction of our new Prime water ionizers. The new Prime Water models make the most powerful antioxidant alkaline water ever made by a home water ionizer. Plus, we increased the quality of our ionizers.

We started Prime water in 2013 with a handful of people and only a few water ionizer products, but it didn't take long for us to research, test, and discover new devices, expand our inventory, and branch out to more clients. Luckily our customers loved our water ionizer product line and kept asking for more, so we worked diligently on ensuring that we had everything they needed. Now our inventory includes a vast variety of unique, and in some cases, exclusive products, and we're ecstatic to announce that in just a few years, not only have we flourished into a larger company, but our name Prime Water has become of the most trusted brands in the home water ionizer and filtration industry.

Thats

PRESIDENT. JEONG SIK, SEO



History

2013 ~ 2017

April 2013	LI-Tech was established.
May 2013	Developed electrolytic cell (Chamber 5 / 7 / 9)
July 2013	Developed electrolytic cell (Chamber 11)
August 2013	Developed electrolytic cell (Chamber 13 First in the world)
September, 2013	Contract for supply of Life Ionizers in USA (4,000 machines per year)
October, 2013	Completed development of M series (Prime basic)
November 2013	M series 5 model CE, FCC certification acquisition
January 2014	Completed water filter development (Standard Filter-1 / Filter-2)
April 2014	Light Commercial LC-11 model development
September 2014	Light commercial LC-11 model CE, FCC certification
April 2015	Started development of Prime-S / SV series
May 2015	Developed Mineral Filter / UF Filter
March 2016	Changed to Prime Water Co., Ltd.
April, 2016	Prime-S / SV series 10 model development completed. Obtained Prime-S / SV CE and FCC certification
July, 2016	Acquired Medical Device Manufacturing License (KFDA), KFDA Item Certification 20 Model
November, 2016	2016 Acquisition of certified exporter of origin (Customs)
December, 2016	Acquired ISO 9001/14001 certification
June, 2017	Acquired Polish sanitation approval




History

2017 ~ Now

July, 2017	Completed development of Prime-R / RV / L / LV series
November, 2017	Prime-R / L series CE, FCC certification acquisition
November, 2017	KFDA Item Certification 20 Models
December, 2017	Trade Day, Awarded Million Dollar Export Tower
Feb. 2018	Acquired a water purifier manufacturing license
Feb. 2018	Patented Prime-R series design
June, 2018	Russia safety certification CU-EAC all model certification acquisition
July, 2018	Awarded as promising export small and medium enterprise
Aug 2018	Development of cleaning kit for ionizer
Dec. 2018	Awarded Export Frontier Enterprise Certification
February 2019	Development Nano-Positive Filter
May 2019	Development RS-Filter
June 2019	CU-EAC Certificates update
July 2019	US FDA Medical Device Listing acquisition (Registration Number : 3015220159)



Vision



A company working together and growing together.



A company where the values of the customer and company grow together through cooperation formed by the communication and work between customers and employees.

Shape the right future for society and employees as a result of our contribution to the customers.

To be an excellent company which is always a models to benchmark not by its size but its excellence of operations




Management Policy



Realize the healthy of mankind by creating a new future through technology thinking and continuously challenging new life.



Organization





Certificates

















Medical Device Manufacturer























CE - LVD

CE - EMC

FCC

POLAND ATEEST HIGIENICZNY

SGS BPA FREE

Water Purifier Manufacturer













Design Patent-R series

Design Patent-R series

EAC Russia Certificates

Registered in the U.S. FDA

Promising Export Enterprise



Sales & Export (25 countries)



America: USA / Canada

EU & Russia: UK / France / Italy / Poland / Germany / Swiss / Austria / Ukraine / Netherlands / Spain / Romania / Slovakia / Turkey / Belarus / Russia Asia: Kuwait / Malaysia / Indonesia / Vietnam / Cambodia / Singapore / Thailand / India / Sri Lanka / Australia



Quality Management

Enterprise resource planning - ERP SYSTEM

Application of ERP system for material preparation, process control and quality control

Quality assurance process P.D.C.A

The quality assurance process consists of four steps represented by P.D.C.A which are plan, do, check and action. Continuous and repetitive execution of these steps intensifies our competitive power further.





Quality Management


Plan: Plan to guarantee quality assurance in production and through shipping.

DO: Evaluate each step of production to assure product quality.

CHECK: Analysis of product quality with test equipment.

ACTION: Continuous improvement of overall product and component quality.

QC Control Process





Quality Management



Quality control is our highest priority. Its purpose is to maintain and increase market share through strict adherence to the principles of:



Since it was founded, Prime Water company has undertaken a wide range of quality initiatives aimed at building strong customer loyalty.

Prime Water company does not simply make products we make products that are a result of each employees dedication to them.

Ever mindful that the results of our work products will reach the hands of our customers, we always provide the best possible products and services based on our concept of total quality assurance.



Research & Development



New Larger

Platinum
Titanium Plates


New Larger Ultra Efficient Multi-Level Electrolysis chambers

New Larger 13 Titanium/Platinum Plates

Prime Water Ionizers with Solid and Mesh plate delivers an electrical current to the water through an array of positively and negatively charged Platinum coated Titanium plates.

The more the water passes in and out of the Titanium Mesh system and the greater the electrical charge to the water (especially when powered by the newer SMPS power systems) - the higher the pH (potential of Hydrogen) and the ORP (Oxidation-Reduction Potential) of the drinking water.

A mesh plate uses the same principle as the slotted plate, but improves upon it by providing cross-channeling to more evenly direct electron flow. The applied current more evenly saturates the plate, increasing the effective delivery of electrical current to create better alteration in your water. Mesh plate technology is just like the best irrigation systems



Multi-Level



Research & Development



Premium Multi-Stage Media ULTRA DUAL Filtration System

The Prime Water dual filtration system is made up of multi level stage specialized media filter and a premium activated carbon filter. The Premium Activated Carbon filter is structured to improve the reduction of heavy metals and fluoride found in many city water sources.

The silver activated carbon portion of the filter kills bacteria and keeps them from growing within the filter and being passed through to the electrolysis chamber.

The multi level stage sediment filter reduces additional sediment particles in the water maintaining the life and performance of your water ionizer.






Manufacturing (Testing)













Manufacturing (Assembly)










Manufacturing (R & D)
















Dimensions: 330 X 347 X 150 (mm)

Weight: 6.5~7.0 Kg

Plate Number: 5/7/9/11/13Plates(PT)

Power: Max 300 / 450 Watts



PRIME R series

Premium Alkaline Water Ionizer

Max Large Platinum Titanium Plates - High Performance 5/7/9/11/13 plates MESH Plates.

Max next generation SMPS Power system(Max 300 / 450 Watts).

Max-Cool. Super Cooling system. (11 / 13P)

Widest range of pH and ORP.

Premium Multi-stage Media Dual internal filtration system. (UF filter / Nano-Positive filter option)

UV (Ultraviolet) Sterilization System. (Optional)

BPA FREE tubing and fitting installation

FAUCET Option - Undersink installation available (Optional)

Compact Sleek new Design

Complements the look of your kitchen





Dimensions: 330 X 347 X 150 (mm)

Weight: 6.5~7.0 Kg

Plate Number: 5/7/9/11/13Plates(PT)

Power : Max 300 / 450 Watts



PRIME S series

Premium Alkaline Water Ionizer

Max Large Platinum Titanium Plates - High Performance 5/7/9/11/13 plates MESH Plates.

Max next generation SMPS Power system(Max 300 / 450 Watts).

Max-Cool. Super Cooling system. (11 / 13P)

Widest range of pH and ORP.

Premium Multi-stage Media Dual internal filtration system. (UF filter / Nano-Positive filter option)

UV (Ultraviolet) Sterilization System. (Optional)

BPA FREE tubing and fitting installation

FAUCET Option - Undersink installation available (Optional)

Compact Sleek new Design

Complements the look of your kitchen





Dimensions: 330 X 347 X 150 (mm)

Weight: 6.5~7.0 Kg

Plate Number: 5/7/9/11/13Plates(PT)

Power : Max 300 / 450 Watts



PRIME (M) series

Premium Alkaline Water Ionizer

Max Large Platinum Titanium Plates - High Performance 5/7/9/11/13 plates MESH Plates.

Max next generation SMPS Power system(Max 300 / 450 Watts).

Max-Cool. Super Cooling system. (11 / 13P)

Widest range of pH and ORP.

Premium Multi-stage Media Dual internal filtration system. (UF filter / Nano-Positive filter option)

UV (Ultraviolet) Sterilization System. (Optional)

BPA FREE tubing and fitting installation

FAUCET Option - Undersink installation available (Optional)

Compact Sleek new Design

Complements the look of your kitchen





Dimensions: 330 X 347 X 150 (mm)

Weight: 6.5~7.0 Kg

Plate Number: 5/7/9/11/13Plates(PT)

Power: Max 300 / 450 Watts



PRIME L series

Premium Alkaline Water Ionizer

Max Large Platinum Titanium Plates - High Performance 5/7/9/11/13 plates MESH Plates.

Max next generation SMPS Power system(Max 300 / 450 Watts).

Max-Cool. Super Cooling system. (11 / 13P)

Widest range of pH and ORP.

Premium Multi-stage Media Dual internal filtration system. (UF filter / Nano-Positive filter option)

UV (Ultraviolet) Sterilization System. (Optional)

BPA FREE tubing and fitting installation

FAUCET Option - Undersink installation available (Optional)

Compact Sleek new Design

Complements the look of your kitchen





Dimensions: 330 X 347 X 150 (mm)

Weight: 6.5~7.0 Kg

Plate Number: 5/7/9/11/13Plates(PT)

Power: Max 300 / 450 Watts

PRIME RV series Counter Top only

Premium Alkaline Water Ionizer

Max Large Platinum Titanium Plates - High Performance 5/7/9/11/13 plates MESH Plates.

Max next generation SMPS Power system(Max 300 / 450 Watts).

Max-Cool. Super Cooling system. (11 / 13P)

Widest range of pH and ORP.

Premium Multi-stage Media Dual internal filtration system. (UF filter / Nano-Positive filter option)

UV (Ultraviolet) Sterilization System. (Optional)

BPA FREE tubing and fitting installation

Compact Sleek new Design

Complements the look of your kitchen





Dimensions: 330 X 347 X 150 (mm)

Weight: 6.5~7.0 Kg

Plate Number: 5/7/9/11/13Plates(PT)

Power: Max 300 / 450 Watts

PRIME SV series Counter Top only

Premium Alkaline Water Ionizer

Max Large Platinum Titanium Plates - High Performance 5/7/9/11/13 plates MESH Plates.

Max next generation SMPS Power system(Max 300 / 450 Watts).

Max-Cool. Super Cooling system. (11 / 13P)

Widest range of pH and ORP.

Premium Multi-stage Media Dual internal filtration system. (UF filter / Nano-Positive filter option)

UV (Ultraviolet) Sterilization System. (Optional)

BPA FREE tubing and fitting installation

Compact Sleek new Design

Complements the look of your kitchen





Dimensions: 330 X 347 X 150 (mm)

Weight: 6.5~7.0 Kg

Plate Number: 5/7/9/11/13Plates(PT)

Power: Max 300 / 450 Watts

PRIME V series Counter Top only

Premium Alkaline Water Ionizer

Max Large Platinum Titanium Plates - High Performance 5/7/9/11/13 plates MESH Plates.

Max next generation SMPS Power system(Max 300 / 450 Watts).

Max-Cool. Super Cooling system. (11 / 13P)

Widest range of pH and ORP.

Premium Multi-stage Media Dual internal filtration system. (UF filter / Nano-Positive filter option)

UV (Ultraviolet) Sterilization System. (Optional)

BPA FREE tubing and fitting installation

Compact Sleek new Design

Complements the look of your kitchen





Dimensions: 330 X 347 X 150 (mm)

Weight: 6.5~7.0 Kg

Plate Number: 5/7/9/11/13Plates(PT)

Power: Max 300 / 450 Watts

PRIME LV series Counter Top only

Premium Alkaline Water Ionizer

Max Large Platinum Titanium Plates - High Performance 5/7/9/11/13 plates MESH Plates.

Max next generation SMPS Power system(Max 300 / 450 Watts).

Max-Cool. Super Cooling system. (11 / 13P)

Widest range of pH and ORP.

Premium Multi-stage Media Dual internal filtration system. (UF filter / Nano-Positive filter option)

UV (Ultraviolet) Sterilization System. (Optional)

BPA FREE tubing and fitting installation

Compact Sleek new Design

Complements the look of your kitchen





Dimensions: 340 X 500 X 570 (mm)

Weight: approx. 20 Kg Plate Number: 11 Plates(PT) Power: Max 450Watts

PRIME LC-11

Light Commercial Water Ionizer

Premium Light Commercial Alkaline Water Ionizer

Max Large Platinum Titanium Plates - High Performance 11 plates MESH Plates.

Max next generation SMPS Power system(Max 450 Watts).

Max-Cool. Super Cooling system.

Widest range of pH and ORP.

Premium Multi-stage Media Dual internal filtration system. (UF filter / Nano-Positive filter option)

BPA FREE tubing and fitting installation

Compact Sleek new Design

Complements the look of your kitchen



PRODUCTS NON-ELECTRIC WATER PURIFIER



Dimensions: 330 X 347 X 150 (mm)

Weight : 3.0 Kg Built in – Dual Filter

PRIME PURIIM

Water Purifier

No Power

No Electricity charges

Easy Installation

Direct Tap water Filtering system

Built-in water flow control Valve system

Clean Purified Water (Standard Filter)

Clean Mineral Water (Mineral Filter)

Various Mineral Filter selection

BPA FREE tubing





PRIME FILTER-1 (Standard carbon)

For Home water ionizers (Prime / S / R / L series)



Function

Removes suspended solids and residual rust. Removes residual chlorine, bad odors to improve water taste. Reduce Heavy metals.

Filter Position: Filter-1

The Prime Water Activated Carbon filter is an excellent choice for filtering out chlorine and chloramines. It also improves water taste and removes odors. In addition to using improved, cutting edge media, we have added other elements to our filters to prevent the damage effects of hard water scale





PRIME FILTER-2 (Standard carbon)

For Home water ionizers (Prime / S / R / L series)



Function

Removes suspended solids and residual rust. Removes residual chlorine, bad odors to improve water taste. Reduce Heavy metals.

Filter Position: Filter-2

The Prime Water Activated Carbon filter is an excellent choice for filtering out chlorine and chloramines. It also improves water taste and removes odors. In addition to using improved, cutting edge media, we have added other elements to our filters to prevent the damage effects of hard water scale





PRIME UF-FILTER

For Home water ionizers (Prime / S / R / L series)



Function

Removes suspended solids and residual rust Removes residual chlorine, bad odors to improve water taste Removes Heavy metals Removes Bacteria

Filter Position: Filter-1 or Filter-2

Hollow heavy-duty fiber with pores that will effectively filter down to 0.1micron in size, removing bacteria and other micro-organisms.





PRIME NANO-POSITIVE FILTER

For Home water ionizers (Prime / S / R / L series)





Function

Removes suspended solids and residual rust Removes residual chlorine, bad odors to improve water taste Remove Heavy metals

Remove Bacteria and Virus 99.9%

Filter Position: Filter-1 or Filter-2





PRIME SEDIMENT FILTER

For Home water ionizers (Prime / S / R / L series)






Function

Removes suspended solids and residual rust Reduce chlorine

Filter Position : Filter-1

The Sediment filter reduces infusible particles from feed water and protects the membrane and pre-carbon filters from being clogged with the largest particles extending the life of the rest of the filters.





PRIME CLEANING FILTER

For Descaling water ionizers (Prime / S / R / L series)





FunctionDescaling Water Ionizer machine electrolysis chamber.

1 Time use only.

Filter Position: Filter-2

Citric Acid Cleaning Filter

In order to maintain the highest performance level of your water ionizer, we recommend you perform this simple cleaning procedure at least once 3~6 months, whichever comes first.

This procedure will remove mineral build-up from the electrodes and membranes in the electrolysis chamber to ensure optimal ionization power of your water ionizer for many years.

When cleaning your water ionizer, be sure to always use the Purified water level only!

Do not use any other level while cleaning or damage could occur.



PRIME RS-FILTER (Rock Salt Filter)

For Strong Alkaline & Acidic pH 2.5~11.5 (Prime / S / R / L series)





Function

Producing Strong Alkaline Water pH 11.5 Producing Strong Acidic Water pH 2.5

Filter Position: Filter-2

How to use RS-FILTER (Rock Salt Filter)

For Strong Alkaline (pH 11.5) and Strong Acidic (pH 2.5) – Do not drink. RS-Filter Filter Life span: 100 L ~ 150 L (Alkaline + Acidic)

- 1 Pull out Filter-2(Second filter) from the machine.
- ② Replace to RS-Filter.
- ③ Press on Alkaline Level -2 button. (Acidic Level-1 button)
- 4 Strong Alkaline water will be extracted through Top flexible hose.
- 5 Strong Acidic water will be extracted through bottom drain hose.

How to storage RS-FILTER (Rock Salt Filter)

- 1 If RS-Filter was used 50 Liters, RS-Filter can be used next time 50~100 Liters.
- 2 RS-Filter should be drained from filter inside.
- 3 If do not be drained, Rock Salt will be dissolved by remain water.
- (4) Cover the black rubber cap.
- (5) Storage to refrigerator. (DO NOT BE FROZEN!)









PRIME MINERAL-FILTER

For light Alkaline pH 8.0~9.5 (Prime Puriim only)






Function

Producing light Alkaline Water pH 8.5~9.5

Filter Position: Filter-1 and Filter-2 (for Water Purifier PURIIM)





Non-Electric Water Purifier (Puriim)



EXTERNAL PRE-FILTER











PRE-CARBON

POST-CARBON

UF-FILTER

NANO-POSITIVE

SEDIMENT

PRE-FILTER HOLDER BRAKET



HOLDER(SINGLE)



HOLDER-BRK (SINGLE)



HOLDER-BRK (DOUBLE)



HOLDER-BRK (TRIPLE)



PRODUCTS Descaling

Descaling Prime Cleaning Machine





For Ionizer Machine



For Faucet