

SHINHAN KEG

*Made in Korea*

SHINHAN KEG

T H E B E S T R S R K E G



 **SHINHAN INDUSTRIAL CO., LTD.**

**Head office and factory**

Address | 67 Namdongseo-ro 316beon-gil, Namdong-gu, Incheon (Namchon-dong) (Namdong Industrial Complex 12 Block 9Lot)

Tel | 032-812-3131 Fax | 032-812-3130 Email | [shinhankeg@shinhanrubber.com](mailto:shinhankeg@shinhanrubber.com)

**Seoul Office**

Address | 1215 Life Officetel, 40 63-ro, Yeongdeungpo-gu, Seoul (Yeouido-dong)

Tel | 02-782-6451 Fax | 02-782-6454 Email | [shinhankeg@shinhanrubber.com](mailto:shinhankeg@shinhanrubber.com)

2020 © SHINHAN INDUSTRIAL CO., LTD. All rights reserved.

THE BEST RSR KEG

# SHINHAN KEG







# Message

Shinhan Industrial Company, established in 1968, is Korea's first beer KEG manufacturer, based on 50 years of experience and technology, Service has been provided. And Shinhan Industry is a rubber parts manufacturer certified as a "root technology company" In addition to manufacturing KEG, we have high technology in rubber compounding, molding, and injection. Shinhan KEG is the world's highest quality RSR (Rubber Steel Rubber) KEG manufactured by Shinhan Industries, Korea's top KEG manufacturer. Shinhan Industry has been producing the highest quality "Shinhan KEG" based on more than 50 years of experience, It supplies to major alcohol and beverage manufacturers around the world.

## History

2020

JEJU BEER COMPANY Official Agreement Signed  
Inobiz certification

2019

Designation of promising small and medium-sized enterprises certified as small and medium-sized venture companies

2018

Designation of export growth companies certified by small and medium venture companies

2017

Developed color coating technology and launched KEG coating service  
Acquired EC regulation 1935/2004 certification

2016

Exported Shinhan KEG to Asia market (China, Hong Kong, Japan, Malaysia, etc.)  
Certified as a Root Technology Owned Company by Korea Government

2015

Started KEG rental service  
Exported Shinhan KEG to European market  
Contracted sales contract for U.S. market with Concentric International, U.S.  
Acquired ISO 9001  
Acquired ISO 14001

2014

Listed as a formal global KEG supplier for AB InBev Contracted business partnership with Fuji Techno, Japan"

2007

2007 Listed as a formal global rubber product supplier for CNH, Vermeer, John Deer

~1968

2004 Acquired ISO 9002(KSA)

2001 Contracted technical alliance and business partnership with Good Year, U.S.

1997 Contracted technical alliance and business partnership with Ruan Group, U.S.

1995 Achieved USD 3 Million Export Record


1992 Contracted technical alliance with YAMAHA, Japan (Rubber Handle, Grip)

1985 Manufactured Cornelius KEG for Coca Cola Obtained Domestic Patent on Rubber Bucket & Tub

1981 Contracted technical alliance with Carnation, USA (Rubber Bucket & Tub)

1980 Developed and launched the first rubber-steal-rubber KEG model

1968 Established the company



# Profile



## ***“Rubber parts/products manufacturer”***

Shinhan Industries is a government-designated “root technology company,” with deep expertise in rubber compounding, bonding, and injection, and has improved its technology through technological alliances with leading overseas suppliers and product development experiences with leading customers.



## ***Based on “50 years of business”***

Shinhan Industries has been developing products that meet the diverse product needs of customers for over 50 years and improving its performance, and now, based on this experience, we are providing the best rubber application solutions to customers in various industries.



## ***“World’s Best Rubber Attached Products” We are making.***

Shinhan Industrial’s rubber parts and products meet the world’s highest quality standards, and are currently used by leading customers in each industry, including the world’s No. 1 agricultural machinery equipment manufacturer and the world’s No. 1 liquor manufacturer.

# Advantage

## Qualified

- AISI 304 from the Leading Steel Company
- Spears from the Leading Fitting Company

## Stronger

- No Damage @ 9,000N in Axial Load Test
- No Deflection in Drop Tests

## Safe

- Complies with 'EC Regulation 1935/2004 (Food Contact Material Safety)

## Comfortable

- Easy & Soft Grip for Comfortable
- Handling Less Temperature Change in Hot/Cold Weather

## Low-noise

- Low Noise Handling in Moving, Stocking, etc.
- Protects Facilities, Equipment, Trucks, etc.

## Lighter

- ALighter than Comparable 100% Steel KEG (1~3 kg (2.2~6.6 lb) less)

## Stylish

- Clean, Polished Body Color Coating, Logo Application Available on Body/Chimes



## Made by an Expert

<b>Specialty on KEG</b>	#1 Manufacturer in Korea Patents on KEGs and Test Equipment
<b>Specialty on RUBBER</b>	Specialize Rubber Compounding and Molding Company Holding Fundamental Technology Certified by Korean Government
<b>Specialty on KEG</b>	ISO 9001 / ISO 14001 Company with Designated R&D Team Certified by Korean Government

## Supply to the Leading Companies

<b>World #1 Company</b>	Provider of KEGs to #1 Breweries in Europe and Asia
<b>Domestic #1 Company</b>	#1 Provider of KEGs to Breweries in Korea Nationwide
<b>Promising Company</b>	Various Beer, Coffee, Wine Breweries in Korea, USA, Japan, etc.

# Patent




ISO 9001




ISO 14001



KEG bottle patent




Inno-Biz




Overseas specification certificate



KEG Inspection patent



Expertise



# RSR -101

[ Practical Standard Model\_10L ]

RSR 10L Series

## RSR-101



### Specification

Size	10 liter	2.65 gal
Diameter	261 mm	10.28 in
Height	297 mm	11.70 in
Weight	4.7 kg	10.37 lb



[ red ]




[ blue ]



[ All black ]

### Characteristics

- Material : AISI 304 from the leading steel company
- Spear: All types available from the leading fitting company
- Certification: EC Regulation 1935/2004 (food Contact Material Safety)
- Stackable, Stable Shape
- Comfortable rubber handgrip, less temperature change in hot/cold weather, easy and low-noise handling, excellent shock absorption
- QQR code laser marking, logo silk printing, chimes and/or body color coating are available on request



# RSR -102

[ Luxurious Slim Model\_10L ]

RSR 10L Series

## RSR-102



### Specification

Size	10 liter	2.65 gal
Diameter	229 mm	9.02 in
Height	348.2 mm	13.71 in
Weight	4.7 kg	10.37 lb



[ red ]


[ blue ]

[ All black ]

### Characteristics

- Material : AISI 304 from the leading steel company
- Spear: All types available from the leading fitting company
- Certification: EC Regulation 1935/2004 (food Contact Material Safety)
- Loadable, Slip Shape
- Comfortable rubber handgrip, less temperature change in hot/cold weather, easy and low-noise handling, excellent shock absorption
- QR code laser marking, logo silk printing, chimes and/or body color coating are available on request





# RSR -103

[ Functional Slim Model\_10L ]

RSR 10L Series

## RSR-103



### Specification

Size	10 liter	2.65 gal
Diameter	237 mm	9.34 in
Height	340 mm	13.39 in
Weight	3.7 kg	7.50 lb



[ red ]




[ blue ]



[ green ]

### Characteristics

- Material : AISI 304 from the leading steel company
- Spear: All types available from the leading fitting company
- Certification: EC Regulation 1935/2004 (food Contact Material Safety)
- Stackable, Slip Shape
- Comfortable rubber handgrip, less temperature change in hot/cold weather, easy and low-noise handling, excellent shock absorption
- QR code laser marking, logo silk printing, chimes and/or body color coating are available on request



# RSR -201

[ Practical Standard Model\_20L ]


RSR 20L Series

## RSR-201



### Specification

Size	20 liter	5.29 gal
Diameter	261 mm	10.28 in
Height	491 mm	19.34 in
Weight	5.8 kg	12.79 lb



[ red ]




[ blue ]



[ All black ]

### Characteristics

- Material : AISI 304 from the leading steel company
- Spear: All types available from the leading fitting company
- Certification: EC Regulation 1935/2004 (food Contact Material Safety)
- Stackable, Stable Shape
- Comfortable rubber handgrip, less temperature change in hot/cold weather, easy and low-noise handling, excellent shock absorption
- QR code laser marking, logo silk printing, chimes and/or body color coating are available on request



# RSR -202

[ Luxurious Slim Model\_20L ]



RSR 20L Series

## RSR-202



### Specification

Size	20 liter	5.29 gal
Diameter	229 mm	9.02 in
Height	594.7 mm	23.42 in
Weight	5.8 kg	12.79 lb



[ red ]




[blue]



[All green]

### Characteristics

- Material : AISI 304 from the leading steel company
- Spear: All types available from the leading fitting company
- Certification: EC Regulation 1935/2004 (food Contact Material Safety)
- Loadable, Slip Shape
- Comfortable rubber handgrip, less temperature change in hot/cold weather, easy and low-noise handling, excellent shock absorption
- QR code laser marking, logo silk printing, chimes and/or body color coating are available on request



# RSR -203

[ Functional Slim Model\_20L ]


RSR 20L Series

## RSR-203



### Specification

Size	20 liter	5.29 gal
Diameter	237 mm	9.34 in
Height	568 mm	22.37 in
Weight	4.6 kg	10.15 lb



[ red ]



[ blue ]




[ All black ]

### Characteristics

- Material : AISI 304 from the leading steel company
- Spear: All types available from the leading fitting company
- Certification: EC Regulation 1935/2004 (food Contact Material Safety)
- Stackable, Slip Shape
- Comfortable rubber handgrip, less temperature change in hot/cold weather, easy and low-noise handling, excellent shock absorption
- QR code laser marking, logo silk printing, chimes and/or body color coating are available on request





# RSR -151

[ Practical Standard Model\_15L ]

RSR 15L Series

## RSR-151




### Specification

Size	15 liter	3.97 gal
Diameter	261 mm	10.28 in
Height	393.2 mm	15.49 in
Weight	5.2 kg	11.47 lb



### Characteristics

- Material : AISI 304 from the leading steel company
- Spear: All types available from the leading fitting company
- Certification: EC Regulation 1935/2004 (food Contact Material Safety)
- Stackable, Stable Shape
- Comfortable rubber handgrip, less temperature change in hot/cold weather, easy and low-noise handling, excellent shock absorption
- QR code laser marking, logo silk printing, chimes and/or body color coating are available on request



# RSR -152

[ Luxurious Slim Model\_15L ]


RSR 15L Series

## RSR-152



### Specification

Size	15 liter	3.97 gal
Diameter	229 mm	9.02 in
Height	469.5 mm	18.49 in
Weight	5.2 kg	11.47 lb



[ All green ]

### Characteristics

- Material : AISI 304 from the leading steel company
- Spear: All types available from the leading fitting company
- Certification: EC Regulation 1935/2004 (food Contact Material Safety)
- Loadable, Slip Shape
- Comfortable rubber handgrip, less temperature change in hot/cold weather, easy and low-noise handling, excellent shock absorption
- QR code laser marking, logo silk printing, chimes and/or body color coating are available on request



# RSR -153

[ Functional Slim Model\_15L ]

RSR 15L Series

## RSR-153



### Specification

Size	15 liter	3.97 gal
Diameter	237 mm	9.34 in
Height	456 mm	17.96 in
Weight	3.9 kg	8.96 lb



[ red ]

### Characteristics

- Material : AISI 304 from the leading steel company
- Spear: All types available from the leading fitting company
- Certification: EC Regulation 1935/2004 (food Contact Material Safety)
- Stackable, Slip Shape
- Comfortable rubber handgrip, less temperature change in hot/cold weather, easy and low-noise handling, excellent shock absorption
- QR code laser marking, logo silk printing, chimes and/or body color coating are available on request



# KEG Service



## Quick Delivery Program

### For Urgent KEG Needs

Shinhan KEG is located strategically, and works with many partners, to streamline supply to meet nearly and needs.



## Empty KEG Return Program

### For KEG Logistics in Korea

We can collect, wash, keep and return KEGs in Korea for overseas customers.



## Rental Program

### For occasionsal KEG Needs

Without any limitation on quantity and duration period, you can rent our KEGs to meet any seasonal needs.



## Rent-to-Own Program

### For Financial Flexibilty for KEGs

instead of renting KEGs, you can make our Shinhan KEG yours to own after installment payment for certain period.



## Ready to Fill Service

### For Immediate Ues

You can request Ready to Fill KEGs, which are washed, sterilizde and pressurizde with CO<sub>2</sub> before delivery.



## KEG Repair Service

### For Repair and Replacement of Damaged Parts

We can repair dent or damages on KEG body, chimes, neck, spear and replace and broken parts.



## KEG Washing Service

### For Internal Cleanliness of KEGs

We can remove beer stone/dried residues in your used KEG returning it go it's brand new glory.



## KEG Renovation Service

### For External Cleanliness of KEGs

We can remove dirty sticker/old logo, re-polish, and re-print new logo on your used KEGs, bringing new life to used KEGs.




## KEG Management Service

### For External Traceability of KEGs

We can put 2D matrix barcode, QR coed, RFID transponder on your KEGs to improve supply chain mangement and traceability.





## Color KEG

*You can bring out the unique feeling of your own brand.*



With glossy body coating and desired color combination, you can color paint not only the upper/lower rubber parts but also the stainless steel parts of the body. Printing is also possible after body painting. Also, whatever color you want is possible.





## Visual KEG

*Now it is possible to promote interior accessories and brand image beyond simple KEG.*



KEGs are not used for storage/distribution purposes only,  
but can be used as pub interior accessories by adding  
identity and advertisements.





# Smart KEG

Currently, it has not been implemented in Korea, but it is a part that we are doing additional R&D. It is usually called SPEED KEG in Europe, and some breweries in advanced countries are using this technology.

We are developing under the name of 'SMART KEG', and from our point of view, it is a goal and homework to be aimed at.

Representatively, KEG location tracking is possible and inventory identification is easy. Through this, it is possible to analyze the circulation cycle and apply it to marketing, sales and analysis by target group. In addition, the brewery's point of view is computerized so that distribution (logistics), management, etc. can be managed very conveniently, so it has a significant advantage in terms of KEG asset management.

## SMART KEG

### Our Qualifications


(New Product Development)

- 1 Wireless Tracking
- 2 Real-time inventory
- 3 actual data of brewery  
(Improve sales, marketing and operations through data)
- 4 Better product control in market  
(e.g. old or out of date / temperature)



Q: **Where are your Kegs?**

A: **SHINHAN SMART KEG** lets you know **where keg is** and **how beer is** !



**The Best RSR Keg**

"Made by Korea #1, Supplied to World #1"

# Partner

